Straight Bill Of Lading

Shippers No. G-166655

(770) 387-3300

CARTERSVILLE STEEL MILL,384 OLD GRASSDALE RD NE . CARTERSVILLE GA 30121 USA (770) 387-3300

RECEIVED, subject to the classification and tariffs in effect on the date of the issue of this Bill of Lading.

The property described below, in apparent good order, except as noted (contents and condition of contents of package unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of deliver as said description, if on its route, otherwise to deliver to mother carrier on the route to said destination. It is mutually agreed, as to except any to said property over all or any person of said property over all or any person of said property, that every service to be performed hereunders stall be subject to all the terms and conditions of the Uniform Service stall be terms, in effect on the file data hereof, if this is a rail or carrier subject. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of loding, including those on the back thereof, set forth in the classification or tariff which governs the transportation or this shipment, and the said terms and conditions are

hereby agreed to by the shipper a	and accepted for himself and hi	ន ពន្ធនៅព្រាទ		Dittings With the L	ering and conducts of the said	on or many, assum	g those off the pack tholeof, bell	IDIAH HI AR	, classification of thi	ini mikon goroma alb ni	ansponsion or ans	ampinant, and the tent terms	dis complicin the
CONSIGNED TO			IN.	VOICE TO			SHIP DATE	Ē		APPROVAL C	ODE	M/R ORDE	R NO.
SIDERTUL SA DE C	V			DERTUL SA	A DE CV		31-DEC-10			JMULLER	ODE		
C/O TRAFFI-MEX IN	С			FC# SID930									
402 GRAND CENTRA	AL BLVD		A'	VENIDA PRI	ESIDENTE MASAR	ΥK	CUST. ACC	COUN	T NO T	*MTC REQUIR	RED*		
LAREDO, TX 78045			М	EXICO CITY	/, DF 11570		60638017			17			
CARRIER:	RR	CSX				CAR / VEH	ICLE INITIALS:	J	ITLX	88			
DESTINATION:	LAREDO, TX					DELIVERY	ADDRESS:	5	SEE DESTIN	IATION:			
ROUTE:	CSXT-NEWOR-U	IP.				DELIVERY	CARRIER:	C	SSXT-NEWO	OR-UP-EAGPA	\-FXE		
SPECIAL INSTRUCT													
DESCRIPTION OF A RODS OR BARS, DE			N OR ST	TEEL	COMMODITY CODE	E NO. : STCC	33-125-34		FOB C			re to be PREPAID heck Box if Collect	
SHAPE & SIZE	31111	GRADE		LENGTH	CUST PO#	ALTPO#	SALES ORDER #	ITEN	A #	PROC	ESS		
PART# DRA	WING#	BUNDLE !!	D MILL		HEAT NO	MILL	WEIGHT	PCS	5	1			
C 10 X 15.3#	4707	A36		40-00	A-00021232- 01		0131380-01				***************************************	Militar de la companya del companya del companya de la companya de	The second se
		G3132436	G		G107524	G	9792 LB		16				
		G3132437	G		G107524	G	9792 LB		16				
		G3132463	G		G107525	G	9792 LB		16				
		G3132466	G		G107525	G	9792 LB		13				
					G107526	G			3				
		G3132467	G		G107526	G	9792 LB		16				
		G3132502	G		G107527	G	9792 LB		16				
		G3132503	G		G107527	G	9792 LB		16				
		G3132504	G		G107527	G	9792 LB		16				
		G3132505	G		G107527	G	9792 LB		16				
		G3132506	G		G107527	Ğ	9792 LB		16				
Note — Where the rate is depende in writing the agreed or declared y the property is hereby specifically	int on value, shippers are requiralise of the property. The agreestated by the shipper to be not	red to state specifice ed or declated value exceeding	carrie	ut recourse on the c	ne conditions, if this stypment is consigner, the consignor shall sig livery of this stypment without pa	on the following states	ment. The				AGENT		
	per		- 1	erdau Amer	isteel (signature of consigne	iri	Shippers To Net Weight		İ	166,464			
Gerdau AmeriSteel C	orporation Shipper	ner	·				and the second s			The state of the s			
Permanent post office					E RD NE, CARTER		10404		D.,,	***************************************	***************	***************************************	••••••
WRONG ADDRESS	address of shipper	1 3	04 OLD	GNAGGUAL	E RU NE, CARTER	SVILLE, GA :	30121	ı		5478	Time of Day	14:34:04 EST	G-166655
												-	

GERDAU AMERISTEEL

Straight Bill Of Lading

Shippers No. G-166655

(770) 387-3300

CARTERSVILLE STEEL MILL,384 OLD GRASSDALE RD NE , CARTERSVILLE GA 30121 USA (770) 387-3300

RECEIVED, subject to the classification and tariffs in effect on the date of the issue of this Bill of Lading.

Permanent post office address of shipper WRONG ADDRESS Gerdau AmeriSteel Corporation Shipper, per SPECIAL INSTRUCTIONS: Hote — Where the rate to dependent an value, shippers are required to make specifically rewriting the agreed or declared value of the property. The agreed or declared value of the property is harely specifically stitud by the shipper to be not exceeding SHAPE & SIZE DESCRIPTION OF ARTICLES: 17 BUNDLES, IRON OR STEEL RODS OR BARS, DESCRIBED BELOW ROUTE: CONSIGNED TO DESTINATION: CARRIER: LAREDO, TX 78045 C/O TRAFFI-MEX INC SIDERTUL SA DE CV The property described below, in apparent good order, except as noted (contents and condition of contents of package unknown), marked, consigned, and destined as incitated below, which said carrier the contract as meaning any person or cooperation in possession of the property unter the contract) agrees to carry to its usual place of delivery as said described, if on its route, otherwise to deliver to annown control in the route to acid property, and a some carrier of all or any of said property, but every service to be performed to be performed to a budget, and as explored, at the said property have ready service to be performed to be performed to a budget to all or any of said property, but every service to be performed to be performed to a budget to all or any of said and the said between an or conditions of the uniform freely till it as notion carrier shipment. Shipper tereby certifies that he is familiar with all the forms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tarief which governs the transportation or this ethinated, and the said lorns and conditions are 402 GRAND CENTRAL BLVD 10 X 15.3# DRAWING LAREDO, TX 꿌 CSXT-NEWOR-UP G3132511 G3132508 G3132513 G3132512 G3132510 G3132509 G3132507 GRADE BUNDLE ID MILL A36 CSX 384 OLD GRASSDALE RD NE, CARTERSVILLE, GA 30121 0000000 17 BUNDLES Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recurso on the consigner, the consigner shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. INVOICE TO SIDERTUL SA DE CV Gerdau Ameristeel
(signature of consigner) RFC# SID930918KR0 MEXICO CITY, DF 11570 AVENIDA PRESIDENTE MASARYK 40-00 LENGTH G107527 COMMODITY CODE NO.: STCC 33-125-34 G107527 G107527 G107527 G107527 G107527 G107527 G107528 CUST PO# 2 A-00021232-CAR / VEHICLE INITIALS: DELIVERY CARRIER: **DELIVERY ADDRESS:** ALTPO# σ σ σ σ σ σ σ σ SALES ORDER #
WEIGHT 0131380-01 Shippers Total Net Weight 166464 LB 31-DEC-10 9792 LB 9792 LB CUST. ACCOUNT NO 60638017 SHIP DATE 9792 LB 9792 LB 9792 LB 9792 LB 9792 LB PCS # Ţ SEE DESTINATION: Load # CSXT-NEWOR-UP-EAGPA-FXE ដែលតិតិតិតិតិ FOB ORIGIN Freight Charges are to be PREPAID, unless marked Collect. Check Box if Collect. Per 25478 *MTC REQUIRED* 7 JMULLER APPROVAL CODE 166,464 PROCESS 88 Time of Day AGENT 14:34:04 EST M/R ORDER NO. G-166655



Chemical and Physical Test Report Made and Melted In USA

G-166655

CARTERSVILLE STEEL MILL 384 OLD GRASSDALE RD NE CARTERSVILLE GA 30121 USA (770) 387-3300

SHIP TO SIDERTUL SA DE CV C/O TRAFFI-MEX INC

402 GRAND CENTRAL BLVD LAREDO, TX 78045

INVOICE TO

SIDERTUL SA DE CV RFC# SID930918KR0 AVENIDA PRESIDENTE MASARYK

MEXICO CITY, DF 11570

SHIP DATE 12/31/10

CUST. ACCOUNT NO

60638017

PRODUCED IN: CARTERSVILLE

SHAPE + SIZE		GRAD	E	SPEC	FICATION	NC													SA	LES ORDER	- (CUST P.C	. NUMBE	ΞR
C10 X 15.3#		A36		ASTM	A36-08	ASTM	A572 G	R50-07,	CSA G4	0.21-04	44W, A	STM A70	9 GR50	-09A					013	31380-01		4-0002123	32-01	
HEAT I.D.	С	Mn	Р	S	Si	Си	Ni	Сг	Мо	٧	Nb	В	N	Sn	Al	Ti	Ca	Zn	C Eqv		<u></u>		1	
G107524	.16	.92	.012	.025	.22	.27	.09	.06	.031	.016	.001	.0002	.0090	.011	.001	.00200	.00110	.00540	.39				 	

Mechanical Test:

Yield 54900 PSI, 378.52 MPA Tensile: 77800 PSI, 536.41 MPA %EI: 23.7/8in, 23.7/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Mechanical Test:

Yield 54500 PSI, 375.76 MPA Tensile: 77300 PSI, 532.96 MPA %EI: 24.0/8in, 24.0/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

PRODUCED IN: CARTERSVILLE

SHAPE + SIZE		GRAD	E	SPECI	FICATIO)N	***************************************										SA	LES ORDER	CUST P.O. NUMBE	R
C10 X 15.3#		A36		ASTM	A36-08,	ASTM	A572 G	R50-07	CSA G4	0.21-04	44W, A	STM A70	9 GR50	-09A			01:	31380-01	A-00021232-01	
HEAT I.D.	С	Mn	Р	s	SI	Cu	Ni	Сг	Мо	V	Nb	В	N	Sn	Al	Ti Ca Zn	C Eqv			THE PROPERTY OF THE PARTY OF THE PARTY.
G107525	.18	.93	.011	.019	.20	.29	.10	.05	.026	.017	.001	.0002	.0087	.011	.001	.00200 .00110 .0046	.41			

Mechanical Test:

Yield 55900 PSI, 385.42 MPA Tensile: 77900 PSI, 537.1 MPA %EI: 23.1/8in, 23.1/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Yield 55700 PSI, 384.04 MPA Tensile: 77500 PSI, 534.34 MPA %EI: 24.6/8in, 24.6/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Customer Notes

NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

All manufacturing processes including melt and cast, occurred in USA, MTR complies with EN10204 3.1B

Bhaskar Yalamanchili

Quality Director

Gerdau Ameristeet

THE ABOVE FIGURES ARE CERTIFIED CHEMICAL AND PHYSICAL TEST RECORDS AS CONTAINED IN THE PERMANENT RECORDS OF COMPANY

Metallurgical Services Manager CARTERSVILLE STEEL MILL

Seller warrants that all material furnished shall comply with specifications subject to standard published manufacturing variations. NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, ARE MADE BY THE SELLER, AND SPECIFICALLY EXCLUDED ARE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. In no event shall seller be liable for indirect, consequential or punitive damages arising out of or related to the materials furnished by seller.

Any claim for damages for materials that do not conform to specifications must be made from buyer to seller immediately after delivery of same in order to allow the seller the opportunity to inspect the material in question.



Chemical and Physical Test Report Made and Melted In USA

G-166655

CARTERSVILLE STEEL MILL 384 OLD GRASSDALE RD NE CARTERSVILLE GA 30121 USA (770) 387-3300

SHIP TO SIDERTUL SA DE CV C/O TRAFFI-MEX INC

402 GRAND CENTRAL BLVD LAREDO, TX 78045

INVOICE TO

SIDERTUL SA DE CV RFC# SID930918KR0 AVENIDA PRESIDENTE MASARYK

MEXICO CITY, DF 11570

SHIP DATE 12/31/10

CUST. ACCOUNT NO

60638017

PRODUCED IN: CARTERSVILLE

T TODOULD IN. C	//// I F	VOVIE																							
SHAPE + SIZE		GRAD	E	SPEC	IFICATION	ON					***************************************					***************************************			SA	LES ORDI	ER	CU	ST P.O.	. NUMBE	R
C10 X 15.3# A36			ASTM	A36-08	, ASTM	A572 G	R50-07,	CSA G4	0.21-04	44W, A	STM A70	09 GR50	-09A					01.	11380-01		A-0	002123	12-01		
HEAT I.D.	¢	Mn	P	S	Si	Си	NI	Cr	Mo	٧	Nb	8	N	Sn	Al	Ti	Ca	Zn	C Eqv		T				
G107526	.18	.92	.013	.026	.20	.30	.11	.05	.026	.016	.002	.0002	.0092	.012	.001	.00100	.00080	.00580	.4				!		

Mechanical Test:

Yield 56800 PSI, 391.62 MPA Tensile: 78500 PSI, 541.24 MPA %EI: 23.2/8in, 23.2/200MM

Customer Requirements: CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Mechanical Test:

Yield 55700 PSI, 384,04 MPA Tensile: 77700 PSI, 535.72 MPA %EI: 23.3/8in. 23.3/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

PRODUCED IN: CARTERSVILLE

SHAPE + SIZE		GRAD		SPECI	FICATIO	3N	•••												ISAL	ES OR	DEB	CL	ST P.O.	MUMBE	
C10 X 15.3#		A36					A572 GI	R50-07.	CSA G4	0.21-04	44W. A	STM A70	9 GR50	-09A					,	1380-0			0002123		
HEAT I.D.	Ĉ	Mn	P	S	Si	Cư	Ni	Cr	Мо	V	Nb	В	N	Sn	Al	Ti	Ca	Zn	C Eqv		· 		1		
G107527	.17	.89	.012	.019	.19	.26	.10	.05	.024	.016	.001	.0002	.0093	.010	.001	.00100	.00080	.00580	.39			İ			

Mechanical Test:

Mechanical Test:

Customer Requirements CASTING: STRAND CAST

Yield 55500 PSI, 382.66 MPA Tensile: 78800 PSI, 543.31 MPA %EI: 23.3/8in, 23.3/200MM

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Yield 55700 PSI, 384.04 MPA Tensile: 78200 PSI, 539.17 MPA %EI: 24.8/8in, 24.8/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Customer Notes

NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

All manufacturing processes including melt and cast, occurred in USA, MTR complies with EN10204 3.1B

Bhaskar Yalamanchili

Quality Director

Gerdau Ameristeel

THE ABOVE FIGURES ARE CERTIFIED CHEMICAL AND PHYSICAL TEST RECORDS AS CONTAINED IN THE PERMANENT RECORDS OF COMPANY.

Metallurgical Services Manager

CARTERSVILLE STEEL MILL

Seller warrants that all material furnished shall comply with specifications subject to standard published manufacturing variations. NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, ARE MADE BY THE SELLER, AND SPECIFICALLY EXCLUDED ARE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. In no event shall seller be liable for indirect, consequential or punitive damages arising out of or related to the materials furnished by seller,

Any claim for damages for materials that do not conform to specifications must be made from buyer to seller immediately after delivery of same in order to allow the seller the opportunity to inspect the material in question.



Chemical and Physical Test Report Made and Melted In USA

G-166655

CARTERSVILLE STEEL MILL 384 OLD GRASSDALE RD NE CARTERSVILLE GA 30121 USA (770) 387-3300

SHIP TO

SIDERTUL SA DE CV C/O TRAFFI-MEX INC 402 GRAND CENTRAL BLVD LAREDO, TX 78045

INVOICE TO

SIDERTUL SA DE CV RFC# SID930918KR0 AVENIDA PRESIDENTE MASARYK MEXICO CITY, DF 11570

SHIP DATE

12/31/10

CUST. ACCOUNT NO

60638017

PRODUCED IN: CARTERSVILLE

SHAPE + SIZE		GRAD	E	SPEC	FICATION	N												SAL	ES OR	DER	CU	ST P.O.	NUMBE	R
C10 X 15.3#		A36		ASTM	A36-08,	ASTM	A572 GI	R50-07,	CSA G4	0.21-04	44W, A	STM A709 GR50	-09A					013	1380-01		A-0	002123	2-01	
HEAT I.D.	С	Mn	P	S	Si	Cu	Ni	Cr	Мо	V	Nb	B N	Sn	Al	TI	Ca	Zn	C Eqv						
G107528	.17	.90	.013	.018	.20	.27	.10	.05	.025	.017	.001	.0002 .0093	.012	.001	.00200	.00100	.00510	.4						

Mechanical Test:

Yield 54200 PSI, 373.7 MPA Tensile: 76100 PSI, 524.69 MPA %EI: 23,2/8in, 23,2/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Yield 55600 PSI, 383.35 MPA Tensile: 76900 PSI, 530.21 MPA %EI: 24.8/8in, 24.8/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Customer Notes

NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

All manufacturing processes including melt and cast, occurred in USA, MTR

complies with EN10204 3.1B

Bhaskar Yalamanchili

Quality Director

Gerdau Ameristeel

THE ABOVE FIGURES ARE CERTIFIED CHEMICAL AND PHYSICAL TEST RECORDS AS CONTAINED IN THE PERMANENT RECORDS OF COMPANY.

Metallurgical Services Manager

CARTERSVILLE STEEL MILL

Seller warrants that all material furnished shall comply with specifications subject to standard published manufacturing variations. NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, ARE MADE BY THE SELLER, AND SPECIFICALLY EXCLUDED ARE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. In no event shall seller be liable for indirect, consequential or punitive damages arising out of or related to the materials furnished by seller.

Any claim for damages for materials that do not conform to specifications must be made from buyer to seller immediately after delivery of same in order to allow the seller the opportunity to inspect the material in question.