Straight Bill Of Lading

Shippers No. G-167185

M/R ORDER NO.

(770) 387-3300

CARTERSVILLE STEEL MILL,384 OLD GRASSDALE RD NE , CARTERSVILLE GA 30121 USA (770) 387-3300

RECEIVED, subject to the classification and tariffs in effect on the date of the issue of this Bill of Lading.

The properly described below, in apparant good order, except as noted (contents and condition of contents of package unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in passession of the property under the contract) agrees to carry to its usual place of delivery as said description, if on its route, otherwise to delive to another carrier on the route to said destination. It is mutually agreed, as le each carrier of all or any of said property, service to be performed horounder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Property Carrier (1) in Uniform Property bereby agreed to by the shipper and accepted for himself and his assign

CONSIGNED TO

PLESA ANAHUAC SA, DE CV ESTACION LECHERIA VALLE DE MX

RODS OR BARS, DESCRIBED BELOW

ZVP 12-831-94 Y 12-832-94

IL. ECIAL INSTRUCTIONS:

LECHERIA, EM

INVOICE TO

SIDERTUL SA DE CV

RFC# SID930918KR0

MEXICO CITY, DF 11570

AVENIDA PRESIDENTE MASARYK

SHIP DATE

09-JAN-11

60638017

APPROVAL CODE

RZAPCIC

MTC REQUIRED

17

CARRIER:

RR

LECHERIA, EM

DESCRIPTION OF ARTICLES: 20 BUNDLES, IRON OR STEEL

CSX

Gerdau AmeriSteel Corporation Shipper, per

CAR / VEHICLE INITIALS:

DELIVERY ADDRESS:

DELIVERY CARRIER:

FXE

CUST. ACCOUNT NO

SEE DESTINATION:

30593

DESTINATION: `UTE:

CSXT-NEWOR-UP-EAGPA-FXE

COMMODITY CODE NO.: STCC 33-125-34

CEFX

FOB ORIGIN Freight Charges are to be PREPAID, unless

marked Collect, Check Box if Collect,

(ACDC	יוואט זוט כ	o, becombed be	LOW								marked Con	cor officer pox il concer.	
SHAP PART	E & SIZE #	DRAWING#	GRADE BUNDLE II	D MILL	LENGTH	CUST PO # HEAT NO	ALTPO# MILL	SALES ORDER # WEIGHT	ITEM# PCS		PROCESS		
C 12	X.25#		A36		40-00	A-00021232- 06	***************************************	0131380-06					
			G3129021	G		G107319	G	10000 LB	10	1			
1			G3129022	G		G107319	G	10000 LB	10		- 1		
			G9080292	G		G106206	G .	6000 LB	6	1 ,	14	. 7	
			G9080294	G		G106206	G	6000 LB	6	`	-1 ((,6()	
		•	G9080298	G		G106206	G -	6000 LB	6	(,	G 400	
			G9080300	G		G106207	G	6000 FB	6)		19.0	
				6 B	UNDLES			44000 LB		-		V	

Subject to Section 7 of the conditions, if this shipment is to be delivered to the consigner without recourse on the consigner, the consigner shall sign the following statement. The carrier shall not make delivery of this shipment without payment of treight and all other lawful charges. Note - Where the rate is dependent on value, shippers are required to state specifically nwriting the agreed or declared value of the property. The agreed or declared value of ne property is hereby specifically stated by the shipper to be not exceeding

Shippers Total

178,400

Gerdau Ameristeel

(SIGNATURE OF CONSIGNER)

384 OLD GRASSDALE RD NE, CARTERSVILLE, GA 30121

Net Weight

Per 29604

Load #

Permanent post office address of shipper

BROKER/FORWARDING AGENT: JORGE E. TREVINO SALINAS A/A #3537

CALLE MORELOS NO 215 PIEDRAS NEGRAS.COAHUILA Phone: 867-713-5227Fax:

TRAFFI-MEX INC

402 GRAND CENTRAL BLVD LAREDO.TEXAS 78045

Phone: 956-726-4400 EXT 226Fax:

AGENT

Time of Day

9:36:05 EST

G-167185

Straight Bill Of Lading

Shippers No. G-167185

(770) 387-3300

CARTERSVILLE STEEL MILL,384 OLD GRASSDALE RD NE , CARTERSVILLE GA 30121 USA (770) 387-3300

RECEIVED, subject to the classification and tariffs in effect on the date of the issue of this Bill of Lading.

The property described below, in apparent good order, except as noted (contents and condition of contents of package unknown), marked, consigned, and destined as indicated below, which said carrier (the world carrier being understood libroughout this contract as meaning any person or corporation in passession of the property under the contract) agrees to carry to its usual place of delivery as said description, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mitually agreed, as to each corrier of all or any of said property over all or any portion of said route to destination, and as to each corrier of the route to said property over all or any of said property over all or any portion of said route to destination, or and as to each corrier of the route to said property over all or any of said property over all or any portion of said route to any of said property, that every service to be performed hereunder shall be subject to all the tornes and conditions of the United Straight 88 of Carrier Straight 89 of Carrier

CONSIGNED TO
PLESA ANAHUAC SA. DE CV
ESTACION LECHERIA VALLE DE MX
ZVP 12-831-94 Y 12-832-94
LECHERIA. EM

INVOICE TO SIDERTUL SA DE CV RFC# SID930918KR0 AVENIDA PRESIDENTE MASARYK

MASARYK 0 SHIP DATE 09-JAN-11

CUST. ACCOUNT NO

APPROVAL CODE

M/R ORDER NO.

MEXICO CITY, DF 11570

60638017

MTC REQUIRED

17

CARRIER:

RR CSX LECHERIA. EM CAR / VEHICLE INITIALS:

CEFX
SEE DESTINATION:

30593

DESTINATION:

CSXT-NEWOR-UP-EAGPA-FXE

DELIVERY ADDRESS: DELIVERY CARRIER:

FXE

_

. ECIAL INSTRUCTIONS:

DESCRIPTION OF ARTICLES: 20 BUNDLES, IRON OR STEEL RODS OR BARS, DESCRIBED BELOW

COMMODITY CODE NO.: STCC 33-125-34

FOB ORIGIN Freight Charges are to be PREPAID, unless marked Collect. Check Box if Collect.

ALTPO# SHAPE & SIZE GRADE LENGTH CUST PO# SALES ORDER # ITEM# **PROCESS** PART# DRAWING# BUNDLE ID MILL WEIGHT HEAT NO MILL PCS C 12 X 30# A36/572G50 40-00 A-00021232-0131380-07 To A 07 G3128775 G G107302 G 9600 LB G3128776 G G107302 G 9600 LB 8 G G3128777 G 9600 LB G107302 G3128778 G G 9600 LB 8 G107302 G3128779 G G 9600 LB G107302 G3128780 G G 9600 LB G107302 G G3128783 G107302 G 9600 LB 8 G3128784 G G107302 G 9600 LB Я G3128785 G 9600 LB 8 G107302 G G 9600 LB G3128786 G107302 G 8 9600 LB G3128787 G G107302 G

Note — When the rate is dependent on value, styppers are required to state specifically an writing the agreed or declarud value of the property. The agreed or declared value of the property is tweeky specifically stated by the shipper to be not exceeding Subject to Section 7 of the conditions, if this stipment is to be delivered to the consigner without recourse on the consigner, the consignor shall sign the following statement. The corrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(SIGNATURE OF CONSIGNER)

Shippers Total Net Weight 178,400 AGENT

Gerdau AmeriSteel Corporation Shipper, per

Permanent post office address of shipper

384 OLD GRASSDALE RD NE, CARTERSVILLE, GA 30121

Gerdau Ameristeel

Per Load # 29604

Time of Day 9

9:36:05 EST G-167185

BROKER/FORWARDING AGENT:

JORGE E. TREVINO SALINAS A/A #3537

CALLE MORELOS NO 215 PIEDRAS NEGRAS,COAHUILA Phone: 867-713-5227Fax: TRAFFI-MEX INC

402 GRAND CENTRAL BLVD LAREDO, TEXAS 78045

Phone: 956-726-4400 EXT 226Fax:

Straight Bill Of Lading

Shippers No. G-167185

(770) 387-3300

CARTERSVILLE STEEL MILL,384 OLD GRASSDALE RD NE , CARTERSVILLE GA 30121 USA (770) 387-3300

RECEIVED, subject to the classification and tariffs in effect on the date of the Issue of this Bill of Lading.

The property described below, in apparent good order, except as noted (contents and condition of caments of package unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood fliroughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery as said description, if on its route, otherwise to deliver to another carrier on the route is said destination. It is mutually agreed, as to each carrier of all or only of said property over all or any portion of said route to deliver to another carrier on the route is said destination. It is mutually agreed, as to each carrier of all or only of said property over all or any portion of said route to deliver to another carrier destination. It is carried to all the terms and conditions of the Uniform Domestic Straight Bill of Laciding set fourth. The Uniform Domestic Straight Bill of Laciding set fourth. The Uniform Domestic Straight Bill of Laciding set fourth in the classification or taniff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

CONSIGNED TO PLESA ANAHUAC SA, DE CV **INVOICE TO** SIDERTUL SA DE CV

SHIP DATE 09-JAN-11

APPROVAL CODE **RZAPCIC**

M/R ORDER NO.

ESTACION LEC ZVP 12-831-94 \ LECHERIA, EM		1X	A		30918KR0 RESIDENTE MASAF ГҮ, DF 11570	күк	CUST. ACC 60638017	COUNT NO	*MTC REQUIR 17	ED*		
CARRIER:	RR	CSX				CAR / VEH	IICLE INITIALS:	CEFX	30	593	**************************************	
DESTINATION:	LECHERIA, E	M				DELIVER	ADDRESS:	SEE DE	STINATION:			
'COUTE:	CSXT-NEWO	R-UP-EAGPA-F	Œ			DELIVER	CARRIER:	FXE				
ECIAL INSTE	RUCTIONS:											
	OF ARTICLES: 20 S, DESCRIBED BEL		OR S	TEEL	COMMODITY COD	E NO. : STC	33-125-34	FC	OB ORIGIN Freigh marke		to be PREPAID, un	
SHAPE & SIZE PART #	DRAWING#	GRADE BUNDLE ID	MILL	LENGTH	CUST PO # HEAT NO	ALTPO# MILL	SALES ORDER # WEIGHT	ITEM# PCS	PROCE) >		
C 12 X 30#	The state of the s	A36/5720	550	40-00	A-00021232- 07		0131380-07	***************************************	1 0	v 463		
		G3128788	G		G107302	G	9600 LB	8	1	80-		
		G3128797	G		G107303	G	9600 LB	8	11/16			
		G3128798	G		G107303	G	9600 LB	8	γ			
		-	14 E	BUNDLES			134400LB <u>.</u>	2				-
ka writing the screed or de	dependent on value, shippers are eclared value of the property. The ecilically stated by the shipper to per	e auread or declared value	of with	hout recourse on t	of the conditions, if this shipmont in a causigner, the consigner shall it delivery of this shipmont without the consideration of this shipmont without the consideration of the consideration of the constant	sign (he following stat payment of freight an	ement. The I		178,400	AGENT		
IGerdau AmeriSi	teel Corporation Ship	ooer, oer						1				
1	office address of shi				ALE RD NE, CARTE	RSVILLE GA	30121		Per	******************	***************************************	•••••••••
Citization post	. GGO GGGIOGO OF GIP	-hh, 0.	~ , ~	,				Load #		Time of Day	9:36:05 EST	G-16718

BROKER/FORWARDING AGENT:

PIEDRAS NEGRAS, COAHUILA Phone: 867-713-5227Fax:

TRAFFI-MEX INC 402 GRAND CENTRAL BLVD LAREDO, TEXAS 78045 Phone: 956-726-4400 EXT 226Fax:

JORGE E. TREVINO SALINAS A/A #3537 **CALLE MORELOS NO 215**



Chemical and Physical Test Report Made and Melted In USA

G-167185

CARTERSVILLE STEEL MILL 384 OLD GRASSDALE RD NE CARTERSVILLE GA 30121 USA (770) 387-3300

SHIP TO

PLESA ANAHUAC SA. DE CV ESTACION LECHERIA VALLE DE MX ZVP 12-831-94 Y 12-832-94 LECHERIA, EM

INVOICE TO

SIDERTUL SA DE CV RFC# SID930918KR0 AVENIDA PRESIDENTE MASARYK

MEXICO CITY, DF 11570

SHIP DATE 01/09/11

CUST. ACCOUNT NO

60638017

PRODUCED IN: CARTERSVILLE

IAPE + SIZE		GRADE	Ξ	SPECI	FICATIO	NC													SAL	ES OR	DER	C	UST P.O	. NUMBE	R
C12 X 25#		A36	•	ASTM	A36-08,	ASTM	A572 G	R50-07,	CSA G4	0.21-04	44W, A	STM A70	9 GR50	-09A					013	1380-06)	A	-0002123	32-06	-
HEAT I.D.	С	Mn	Р	S	Si	Cu	Ni	Cr	Mo	V	Nb	В	N	Sn	Al	Ti	Ca	Zn	C Eqv					T	
G106206	.07	1,17	.012	.021	.28	.26	.08	.07	.023	.050	.003	.0005	.0099	.008	.001	.00200	.00000	.00440	.42						

Mechanical Test:

Yield 57000 PSt, 393 MPA Tensile: 71000 PSI, 489.53 MPA %El: 22.5/8in, 22.5/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Mechanical Test:

Yield 55900 PSI, 385.42 MPA Tensile: 71300 PSI, 491.6 MPA %EI: 22,9/8in, 22.9/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED, STEEL NOT EXPOSED TO MERCURY.

PRODUCED IN: CARTERSVILLE

SHAPE + SIZE		GRAD	E -	SPECI	FICATIO	N								_					SAI	LES OR	DER	CI	JST P.O	. NUMBE	R -
C12 X 25#		A36		ASTM	A36-08,	ASTM	A572 G	R50-07,	CSA G4	0.21-04	44W, AS	STM A70	9 GR50	-09A					013	31380-06	5	A٠	0002123	2-06	
HEAT I.D.	С	Mn	P	S	Si	Cu	Ni	Cr	Mo	V	Nb	В	N	Sn	Al	Ti	Ca	Zn	C Eqv						
G106207	.08	1.18	.012	.018	.30	.23	.80.	.06	.021	.049	.001	.0003	.0096	.007	.001	.00100	.00050	.00830	.41						

Mechanical Test:

Yield 57600 PSI, 397.14 MPA Tensile: 72700 PSI, 501.25 MPA %EI: 22.8/8in, 22.8/200MM

Mechanical Test:

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED, STEEL NOT EXPOSED TO MERCURY.

Yield 57700 PSI, 397.83 MPA Tensile: 72900 PSI, 502.63 MPA %EI: 22.2/8in, 22.2/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

ustomer Notes

NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

All manufacturing processes including melt and cast, occurred in USA. MTR complies with EN10204 3.1B

Bhaskar Yalamanchili

Quality Director

Gerdau Ameristeel

THE ABOVE FIGURES ARE CERTIFIED CHEMICAL AND PHYSICAL TEST RECORDS AS CONTAINED IN THE PERMANENT RECORDS OF COMPANY.

Metallurgical Services Manager CARTERSVILLE STEEL MILL

Seller warrants that all material furnished shall comply with specifications subject to standard published manufacturing variations. NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, ARE MADE BY THE SELLER, AND SPECIFICALLY EXCLUDED ARE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. in no event shall seller be liable for indirect, consequential or punitive damages arising out of or related to the materials furnished by seller.

Any claim for damages for materials that do not conform to specifications must be made from buyer to seller Immediately after delivery of same in order to allow the seller the opportunity to inspect the material in question.



Chemical and Physical Test Report Made and Melted In USA

G-167185

CARTERSVILLE STEEL MILL -384 OLD GRASSDALE RD NE CARTERSVILLE GA 30121 USA (770) 387-3300

SHIP TO

PLESA ANAHUAC SA, DE CV ESTACION LECHERIA VALLE DE MX ZVP 12-831-94 Y 12-832-94 LECHERIA. EM

INVOICE TO

SIDERTUL SA DE CV RFC# SID930918KR0

AVENIDA PRESIDENTE MASARYK MEXICO CITY, DF 11570

SHIP DATE

01/09/11

CUST. ACCOUNT NO

60638017

PRODUCED IN: CARTERSVILLE

APE + SIZE		GRADI	E	SPECI	FICATIO	NC													SA	LES OF	DER	C	UST P.	D. NUME	ER	
C12 X 30#			2G50	ASTM	A36-08,	ASTM	A572 GI	R50-07.	CSA G4	0.21-04	44W, A	STM A70	9 GR50	-09A					013	31380-0	7	F	-000212	32-07	-	
HEAT I.D.	С	Мп	Р	S	Si	Cu	Ni	Cr	Мо	V	Nb	В	N	Sn	Al	Ti	Ca	Zn	C Eqv							
G107302	.08	1.18	.016	.020	.27	.27	.10	.06	.033	.048	.001	.0002	.0100	.018	.001	.00100	.00090	.00150	.42							

Mechanical Test:

Yield 58100 PSI, 400,59 MPA Tensile: 73700 PSI, 508,14 MPA %EI: 21,6/8in, 21,6/200MM

Customer Regulrements CASTING: STRAND CAST-

Comment: ALSO MEETS ASTM GRADES A709-36-09A, A709-50-09A TYPE II, M270-36, M270-50 TYPE II NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Mechanical Test:

Yield 59400 PSI, 409.55 MPA Tensile: 74300 PSI, 512.28 MPA %EI: 22.5/8in. 22.5/200MM Customer Requirements, CASTING: STRAND CAST

Comment: ALSO MEETS ASTM GRADES A709-36-09A, A709-50-09A TYPE II, M270-36, M270-50 TYPE II NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

PRODUCED IN: CARTERSVILLE

SHAPE + SIZE		GRADI	=	SPECI	FICATIO	NC													SAL	ES OR	DER	Cl	JST P.O.	NUMBE	R
C12 X 30#		A36/57	2G50	ASTM	A36-08,	ASTM	A572 G	₹50-07,	CSA G4	0.21-04	44W, AS	STM A70	9 GR50	-09A					013	1380-07	7	Α-	0002123	2-07	
HEAT I.D.	С	Mn	Р	S	Sì	Cu	Ni	Cr	Мо	٧	Nb	В	N	Sn	Al	Ti	Са	Zn	C Eqv						
G107303	.08	1.21	.013	.024	.28	.27	.10	.04	.035	.048	.001	.0003	.0100	.021	.001	.00100	.00080	.00260	.42						

Mechanical Test:

Yield 57400 PSI, 395.76 MPA Tensile: 73100 PSI, 504.01 MPA %EI: 22.4/8in, 22.4/200MM

Customer Requirements CASTING: STRAND CAST

Comment: ALSO MEETS ASTM GRADES A709-36-09A, A709-50-09A TYPE II, M270-36, M270-50 TYPE II NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY. Yield 57500 PSI, 396,45 MPA Tensile: 73000 PSI, 503,32 MPA %El; 22.7/8in, 22.7/200MM

Mechanical Test:

Customer Requirements CASTING: STRAND CAST

Comment: ALSO MEETS ASTM GRADES A709-36-09A, A709-50-09A TYPE II, M270-36, M270-50 TYPE II NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

ustomer Notes

NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

All manufacturing processes including melt and cast, occurred in USA, MTR complies with EN10204 3.1B

Bhaskar Yalamanchili

Quality Director

Gerdau Ameristeel

THE ABOVE FIGURES ARE CERTIFIED CHEMICAL AND PHYSICAL TEST RECORDS AS CONTAINED IN THE PERMANENT RECORDS OF COMPANY.

Metallurgical Services Manager CARTERSVILLE STEEL MILL

Seller warrants that all material furnished shall comply with specifications subject to standard published manufacturing variations. NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, ARE MADE BY THE SELLER, AND SPECIFICALLY EXCLUDED ARE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall seller be flable for indirect, consequential or punitive damages arising out of or related to the materials furnished by seller.

Any claim for damages for materials that do not conform to specifications must be made from buyer to seller immediately after delivery of same in order to allow the seller the opportunity to inspect the material in question.



Chemical and Physical Test Report Made and Melted In USA

G-167185

CARTERSVILLE STEEL MILL 384 OLD GRASSDALE RD NE CARTERSVILLE GA 30121 USA (770) 387-3300

SHIP TO

PLESA ANAHUAC SA. DE CV ESTACION LECHERIA VALLE DE MX ZVP 12-831-94 Y 12-832-94 LECHERIA, EM

INVOICE TO

SIDERTUL SA DE CV RFC# SID930918KR0 AVENIDA PRESIDENTE MASARYK MEXICO CITY, DF 11570

SHIP DATE

01/09/11

CUST. ACCOUNT NO

60638017

PRODUCED IN: CARTERSVILLE

HAPE + SIZE		GRAD	Ę	SPECI	FICATIO	N													SAI	ES OR	DER	CU	ST P.O.	NUMBE	:R
C12 X 25#		A36		ASTM	A36-08,	ASTM.	A572 G	R50-07,	CSA G4	0.21-04	44W, AS	STM A70	9 GR50	-09A					013	1380-06	3	A-C	002123	2-06	
HEAT I.D.	C	Mn	P	S	SI	Cu	Ni	Cr	Mo	V	Nb	В	N	Sn	Al	Tì	Ca	Zn	C Eqv						
G107319	.08	1.15	.011	.021	.28	.23	.09	.06	.036	.046	.002	.0003	.0100	.021	.001	.00200	.00130	.00360	.4						

Mechanical Test:

Yield 59100 PSI, 407,48 MPA Tensile: 73700 PSI, 508,14 MPA %EI; 20,2/8in, 20,2/200MM Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Mechanical Test:

Yield 59600 PSI, 410.93 MPA Tensile: 74300 PSI, 512.28 MPA %EI: 21.3/8in, 21.3/200MM

Customer Requirements CASTING: STRAND CAST

Comment: NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

Justomer Notes

NO WELD REPAIRMENT PERFORMED. STEEL NOT EXPOSED TO MERCURY.

All manufacturing processes including melt and cast, occurred in USA. MTR

complies with EN10204 3.18

Bhaskar Yalamanchili **Quality Director**

Gerdau Ameristeel

THE ABOVE FIGURES ARE CERTIFIED CHEMICAL AND PHYSICAL TEST RECORDS AS CONTAINED IN THE PERMANENT RECORDS OF COMPANY.

> Metallurgical Services Manager CARTERSVILLE STEEL MILL

Seller warrants that all material furnished shall comply with specifications subject to standard published manufacturing variations. NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, ARE MADE BY THE SELLER, AND SPECIFICALLY EXCLUDED ARE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall seller be liable for indirect, consequential or punitive damages arising out of or related to the materials furnished by seller. Any claim for damages for materials that do not conform to specifications must be made from buyer to seller immediately after delivery of same in order to allow the seller the opportunity to inspect the material in question.