Bill To: SIDERTUL SA DE CV RFC# SID930918KR0 AVENIDA PRESIDENTE MASARYK DF MEXICO CITY

Ship To: 1 SIDERTUL SA DE CV 402 GRAND CENTRAL BLVD

MILO DISTRIBUTION CENTER ТX LAREDO 78045

Order Date: 01/24/2011 PO No:4500000568

LENGTH

40 FT / 12.192 M

Mill Order No:3851763 Load No:1372374 Manifest No:2068739

GERDAU AMERISTEEL

GERDAU AMERISTEEL Midlothian Mill

300 Ward Road

Midlothian, TX 76065 (972)775-8241

US

GRADE

PRODUCT WF BEAMS

CERTIFIED MATERIAL TEST REPORT

SPECIFICATIONS

HEAT NO: 22587370

11570

SIZE 992/572-50 W 24 X 62# / W610 X 92

MX

ASTM A6-09, A992-06a, A572-07

CHEMICAL ANALYSIS

Nb CE Mo Sn Αl Ni Cr Ρ Cu C Mn .005 .003 .019 .31 .029 .017 .032 .34 .10 .13 .23 .06 1.13 .016

PHYSICAL PROPERTIES

Yield Strength		Tensile Strength		Specimen Area		<u>Elongation</u>			Bend Test	<u>ROA</u>
KSI	MPa	KSI	MPa	Sq In	Sq cm	ે	Gage Len	gth	Dia. Result	%
57.9	399.2	74.8	515.7	0.846	5.46	25.1	8 In	200 mm		
57.1	393.7	74.5	513.7	0.860	5.55	24.6	8 In	200 mm		

TENSILE TEST RATIOS

YLD/TENS TENS/YLD YLD/TENS TENS/YLD

.77 1.3 .77 1.29

All manufacturing processes of this product, including electric arc MELTING and continuous CASTING, occurred in the U.S.A. CMTR complies with EN 10204 3.1

"I hereby certify that the contents of this report are correct and accurate. All tests and operations performed by this material manufacturer or its sub-contractors, when applicable, are in compliance with the requirements of the material specifications and applicable purchaser designated requirements."

Tom L. Harrington: Quality Assurance Manager Date: Signed: Notary Public (if applicable)

1 of Page:

Bill To: SIDERTUL SA DE CV RFC# SID930918KR0 AVENIDA PRESIDENTE MASARYK MEXICO CITY

Ship To: 1 SIDERTUL SA DE CV 402 GRAND CENTRAL BLVD MILO DISTRIBUTION CENTER

PO No:4500000568 Mill Order No:3851763 Load No:1372374 Manifest No:2068739

Order Date: 01/24/2011

CERTIFIED MATERIAL TEST REPORT GERDAU AMERISTEEL

GO GERDAU AMERISTEEL

Midlothian Mill 300 Ward Road Midlothian, TX 76065 (972)775-8241

SIZE

DF

MX

992/572-50

TX

US

GRADE

40 FT / 12.192 M

LENGTH

PRODUCT WF BEAMS

SPECIFICATIONS

.08

11570

LAREDO

78045

W 24 X 62# / W610 X 92

ASTM A6-09, A992-06a, A572-07

CHEMICAL ANALYSIS

HEAT NO: 22587380 Al Nb CE Mo Sn Cr Cu Νi C Mn Ρ S Si .32 .021 .031 .018 .003 .003 .10 .11 .36 .015 .033 . 23

PHYSICAL PROPERTIES

	FIIIDICAL TROPERTED									
Yield Strength		Tensile Strength		Specimen Area		Elongation			Bend Test	ROA
KSI	MPa	KSI	MPa	Sq In	Sq cm	8	Gage Lei	ngth	Dia. Result	ર્જ
58.8	405.4	77.4	533.7	0.853	5.50	25.2	8 In	200 mm		
58 6	404.0	77.5	534.3	0.841	5.43	25.8	8 In	200 mm		

TENSILE TEST RATIOS

1.06

YLD/TENS TENS/YLD YLD/TENS TENS/YLD

1.32 .76 1.32 .76

All manufacturing processes of this product, including electric arc MELTING and continuous CASTING, occurred in the U.S.A. CMTR complies with EN 10204 3.1

"I hereby certify that the contents of this report are correct and accurate. All tests and operations performed by this material manufacturer or its sub-contractors, when applicable, are in compliance with the requirements of the material specifications and applicable purchaser designated requirements."

Tom L. Harrington: Quality Assurance Manager

Signed:

Notary Public (if applicable)

Date:

2 of Page: