NACE MR0175

.0032

.020

CERTIFIED MATERIAL TEST REPORT

Trinity Fitting Group Inc.

Hackney * Ladish * Flo-Bend

P.C. Box 568887 - 2525 Stemmons Freeway - Dallas, TX 75356 - 8887

Phone: (214) 589-8177 Fax: (214) 589-8892

Date: 12/23/03 Order Number: 7025

Sold to: FERRETERA ANAHUAC, SA DE CV Ship to:

VALLE DE LAS ALAMEDAS NO 66 B

SAN FRANCISCO CHILPAN

54940 TULTITLAN EOO DE

Heat Code Quantity Description / Specifications

Mn

Test C

M

.160

Heat Code

EE98BK

EE98BK 8 X 5 STD ECC RED

A/SA 234 - 96A WPB NSS H60-NDE 07/L30434

P

.650 .007 .004 .230

Chemical Analysis

Ni

.120 .090

Cr

.090

		•	

S Si Cu

Chemical Analysis (cont.)										
Heat Code	N	V	В	<u>Ti</u>	Cb	Sn	W	Pb	Co	<u>CE</u>
EE98BK	.0008	.001	.0005	.0021	.003	.007				.304

			Physical	Properties	3			
	Tensile KSI	Type	Thickness		% Elong.	(4D)	% RA	Hardness HB
EE98BK	65.6	L		44.6	41.4			135

Charpy Results Heat Code Size x 10mm Type Temp. (F) Foot Pounds Later. Expansion % Shear EE98BK

Test: M=Mill Product Type: L=Longitudinal

We certify that the material herein described has been manufactured, heat treated, sampled, tested, and inspected in accordance with the above standards and specifications and satisfies those requirements. We certify these flanges and fittings capable of passing a hydrostatic test compatible with their rating. The above figures are correct as contained in the records of the Company. This information has been electronically transmitted to our customer. /S/ Glinda LaFleur