SERIAL NUMBER: DATE: V02R1163 31 MAY 02

Industrial de Válvulas, S.A. de C.V.

QUALITY ASSURANCE CERTIFICATE OF COMPLIANCE

WE CERTIFY THAT THE PRODUCT LISTED BELOW WAS DESIGNED, MANUFACTURED AND TESTED ACCORDING TO OUR QUALITY SYSTEM AND REQUIREMENTS GIVEN IN ONE OR MORE OF THE FOLLOWING STANDARS:

API 6D

- PIPELINE VALVES - GATE, PLUG, BALL AND CHECK

API 600

- STEEL GATE VALVES - FLANGED AND BUTT-WELDING ENDS

API 598

- VALVE INSPECTION AND TESTING

API 599

- METAL PLUG VALVES - FLANGED AND WELDING ENDS

ANSI B16.10 - FACE TO FACE AND END TO END DIMENSIONS OF VALVES

ANSI B16.34 - VALVES - FLANGED, THREADED, AND WELDING ENDS

MSS-SP61

- PRESSURE TESTING OF STEEL VALVES

PART. No.: 757049

DESCRIPTION: 10" FIG. 5341 F UT WCB. API TRIN No. 8 CAST STEEL SHING CHECK VALVE

SPECIFICATION 83000

PRESSURE TESTS	SHELL	BACK SEAT	1ST SIDE	2ND SIDE
HYDROSTATIC (PSI)	450	N A	N A	315
PNEUMATIC (PSI)			H A	N A

												MECHANICAL TESTS						
		CHEMICAL COMPOSITION (%)										TENS	YIELD	ELG	RED	BHN		
ITEM	HEAT	MATERIAL	C	Mn	P	S	Si	Ni	Cr	Мо	Cu	٧	W	KPSI	KPSI	%	%	
	No.	(ASTM)												CVN@	1ST	2ND	3RD	AVG
BOBY	9924043	A 216 UCB	0.200	0.940	0.019	0.017	0.440	0.070	0.120	0.020	0.038	0.002		74.12	46.04	27.0	51.0	156
BUNNET-COVER	8994067	A 216 WCB	0.210	0.890	0.019	0.015	0.440	0.110	0.140	0.040	0.033	0.002		74.12	43.80	29.0	54.0	156
MEDCE-DISC- PLUC	5005 406 9	A 216 NCB	0.200	0.770	0.015	0.012	0.390	0.099	0.160	0.030	0.037	0.003		74.12	46.04	ස.0	53.0	156

CERTIFIED BY:

Jorge Soto **QUALITY ASSURANCE**